

manu3™



Portable contactless hand measurement system

Specifications

Model number:	Manu3 rev1.1
Dimensions:	width 26cm x length 40cm x height 43cm
Weight:	≈ 6,5kg
Image sensor:	Two 5 megapixel CMOS camera module
Illumination:	White LED 12W, 6500K

Operating conditions

Operating temperature:	0-40°C
Humidity range :	0-70% non-condensing

Electrical power

Input range:	115-230 VAC 50/60Hz
Input power:	250W

Interface

Touch Screen	LCD 7 inches
USB	2 x USB 2.0

Software Compatibility

	Minimum
Operating system	Windows 7 64-bit
Processor	Core i5 (Quad Core)
Memory (RAM)	4 GB
Hard Disk	1GB available
Screen resolution	1280 x 720
Connections	USB 2.0

Certifications

- CAN/CSA C22.2#61010-1
Issued: 2012/05/11 Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use Part 1: General Requirements
- UL 61010-1
Issued: 2012/05/11 Ed:3 Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use Part 1: General Requirements
- CENELEC EN 61010-1 C
Issued: 2010/10/01 Ed:3 Safety Requirements for Electrical Equipment for Measurement, Control, and Laboratory Use Part 1:General Requirements
- CENELEC EN 61326-1
Issued: 2013/01/01 Electrical Equipment for Measurement, Control and Laboratory Use – EMC Requirements - Part 1: General Requirements